


vołksans mono



Font Styles

Normal M

SemiBold M

Glyphs:	1030 in total for weights
Font Styles:	2 weights
OpenType Features:	35 features 14 stylistic sets
Languages:	Extended Latin

Currency

€ ¢ \$ ₪ ₪ ₣ £ ¤ ₧ ₨ ₴ ₵ ₶ ₷ ₸ ₹ ₺ ₻

Superscripts
Fractions
Ordinals

H 1 2 3 1 0 α
1 ¼ ½ ¾

Arrows

← ↑ → ↓ ↔ ↕ ↖ ↗ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘

Symbols
Numbers

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩

Symbols
Math
Operators

% & + < = > @ ^ | ~ α ! § © ¬ ® ° ± μ ¶ × ÷ † ‡
‰ ™ Ω ∂ Δ ∏ ∑ − ∕ ∙ √ ∞ ∫ ≈ ≠ ≤ ◇ ≡ ∅ © ' " e №
● ○ ◐ ◑ ◒ ◓ ◔ ◕ ◖ ◗ ◘ ◙ ◚ ◛ ◜ ◝ ◞ ◟ ◠ ◡ ◢ ◣ ◤ ◥ ◦ ◧ ◨ ◩ ◪ ◫ ◬ ◭ ◮ ◯ ◰ ◱ ◲ ◳ ◴ ◵ ◶ ◷ ◸ ◹ ◺ ◻ ◼ ◽ ◾ ◿

Numerators
Denominators

1 2 3 4 5 6 7 8 9 0 / 1 2 3 4 5 6 7 8 9 0

Superscripts
Subscripts

H 1 2 3 4 5 6 7 8 9 0 H 1 2 3 4 5 6 7 8 9 0

Ornaments



For details about OpenType Layout Features see the
 OpenType Layout tag registry
 → learn.microsoft.com/typography/opentype/spec/featurelist


Layout Features

	● OFF	ON
Case Sensitive	c=[a,b]{x} A1÷B2+C3 (Time-Out) → «Name»	C=[A,B]{X} A1÷B2+C3 (TIME-OUT) → «NAME»
Ligatures	f _l at office ofter	f _l at office ofter
Contextual Alternates	fjord strasse <= (c)(r)(p) -> +- 5x5 12:49 -- ---	fjord STRASSE ≤ © ® ® → ± 5x5 12:49 - -
Arbitrary Fraction	3 5/12 x 2 3/4 6 2/5 x 5 4/5	3 ⁵ / ₁₂ × 2 ³ / ₄ 6 ² / ₅ × 5 ⁴ / ₅
Superscript	Smith ₁ , E=mc ₂	Smith ¹ , E=mc ²
Subscript	H ₂ O, B ₂ O ₃ , Pb ₀ 2	H ₂ O, B ₂ O ₃ , Pb ₀ 2
Ordinals	1 _a 1 _o	1 ^a 1 ^o
Sharp S	Strasse	Straße
Stylistic Set 01: one-srotesy a	Alternate Yamaha	Alternate Yamaha
Stylistic Set 02: straight tail y	Stylycttic Property	Stylycttic Property


	OFF	ON
Stylistic Set 03: Text: Q,I,J,l	HIGH flop, Quick Alt, Juice	HIGH flop, Quick Alt, Juice
Stylistic Set 04: Display: Q,f,g,j	Ajustmeng of just Qr fjord	Ajustmeng of just Qr fjord
Stylistic Set 05: Numbers in circle	0 1 2 3 4 5 6 7 8 9	① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨
Stylistic Set 06: Icon for web	● Theme / More ▼	◐ Theme / More ▼
Stylistic Set 07: Currency	\$100/ ¢50/ ₱0,02/	\$100/ ¢50/ ₱0,02/
Stylistic Set 08: Slash 45	Take/Slash/45	Take/Slash/45
Stylistic Set 10: Long emdash	Em – dash	Em — dash
Stylistic Set 11: Brackets	({[BRA CKE] })	({[BRA CKE] })
Stylistic Set 12: Quotesing	“Quotesing”	“Quotesing”
Stylistic Set 13: Rhomboid Bullet	• Rhomboid	◆ Rhomboid
Stylistic Set 14: Big Bullet	• Bullet	● Bullet

● volksans Normal M, 283.46pt / ↕ 70mm
□ 2mm

Cap-Height	700 ¹⁰	Baseline	0 ⁻¹⁰	Stem	80
x-Height	500 ¹⁰	Descender	-200 ⁻¹⁰	Bar	70



●	volksans SemiBold M, 283.46pt / ↕ 70mm	Cap-Height	700 ¹⁰	Baseline	0 ⁻¹⁰	Stem	120
□	2mm	x-Height	500 ¹⁰	Descender	-200 ⁻¹⁰	Bar	110



volksans Normal M, 186.28pt / ↕ 46mm

{ 4 0 4 }

volksans Normal M, 48.59pt / ↕ 12mm

Leading, 48.19pt / ↕ 17mm

[●].selected-tab
B.[-].close-tab.in
C.[+].open-tab.in.

volksans Normal M, 16.20pt / ↕ 4mm

Leading, 19.84pt / ↕ 7mm

West Milwaukee is a village in Milwaukee County, Wisconsin, United States, which is located in the center of the county approximately a mile south of American Family Field. The population was 4,114 at the 2020 census. The village was incorporated in 1906 to provide low taxes for industry. West Milwaukee is located at 43°0'52"N 87°58'24"W / 43.01444°N 87.97333°W

volksans Normal M, 12.15pt / ↕ 3mm

Leading, 17.01pt / ↕ 6mm

According to the United States Census Bureau, the village has a total area of 1.12 square miles (2.90 km), all of it land. As of the census of 2010, there were 4,206 people, 1,979 households, and 856 families living in the village. The population density was 3,755.4

inhabitants per square mile (1,450.0/km). There were 2,145 housing units at an average density of 1,915.2 per square mile (739.5/km). The racial makeup of the village was 69.4% White, 10.2% African American, 0.8% Native American, 3.2% Asian, 12.1% from other races, and 4.3%

- volksans Normal M, 186.28pt / ↕ 46mm

V O L V O

- volksans Normal M, 48.59pt / ↕ 12mm Leading, 48.19pt / ↕ 17mm

SAINT-GLOBAL M20
SEKURIT DOT 57 AS2
43R-00097 E000186*

- volksans Normal M, 16.20pt / ↕ 4mm Leading, 19.84pt / ↕ 7mm

The Sogitec 4X was a digital audio workstation developed by Giuseppe di Giugno at IRCAM (Paris) in the 1980s. It was the last large hardware processor before the development of the ISPW. Later solutions combined control and audio processing in the same computer like Max/MSP. 4X built on the achievements of the earlier Halaphone, capable of timbre alteration and sound lo-

- volksans Normal M, 12.15pt / ↕ 3mm Leading, 17.01pt / ↕ 6mm

Moore's Mill is an unincorporated community and census-designated place (CDP) in Madison County, Alabama, United States, and is included in the Huntsville-Decatur Combined Statistical Area. The population was 6,729 at the 2020 census, up from 5,682 at the 2010 census.

Moore's Mill is located in northern Madison County at 34°49'50"N 86°31'14"W / 34.83056°N 86.52056°W (34.830662, -86.520538). It is bordered to the west by Meridianville and to the south by Huntsville. According to the U.S. Census Bureau, the CDP has a total area of 13.8

• volksans SemiBold M, 186.28pt / ↕ 46mm

ERROR

• volksans SemiBold M, 48.59pt / ↕ 12mm

Leading, 48.19pt / ↕ 17mm

**Zwei Boxkämpfer.
jagen Eva quer....
durch Sylt...#0001**

• volksans SemiBold M, 16.20pt / ↕ 4mm

Leading, 19.84pt / ↕ 7mm

Kendal Green station is an MBTA Commuter Rail station in Weston, Massachusetts, US, served by the Fitchburg Line. The station has a single platform serving two tracks; it is not accessible. It originally opened with the Fitchburg Railroad in 1844 as "Weston"; it was renamed Kendal Green after the green cloth around 1886. A new station building was constructed in

• volksans SemiBold M, 12.15pt / ↕ 3mm

Leading, 17.01pt / ↕ 6mm

Business routes of Interstate 5 exist in both California and Washington. There are no business routes in Oregon as that state does not assign such designations for any of its highways. However, Oregon Route 99 essentially acts as a business route for most of Oregon, along

the California Department of Transportation (Caltrans), but are not maintained by Caltrans unless they overlay other routes of the state highway system. Local authorities may request route assignment from the Caltrans Transportation System Information Program, and all re-

- volksans SemiBold M, 186.28pt / ↕ 46mm

97.4%

- volksans SemiBold M, 48.59pt / ↕ 12mm Leading, 48.19pt / ↕ 17mm

Qua sex is de ex
van mijn zwager
beter typt de chef

- volksans SemiBold M, 16.20pt / ↕ 4mm Leading, 19.84pt / ↕ 7mm

Stanley Kubrick was an American film director, screenwriter, and producer. He is frequently cited as one of the greatest and most influential directors in cinematic history. His films, which are mostly adaptations of novels or short stories, cover a wide range of genres, and are noted for their realism, dark humor, unique cinematography, extensive set designs, and evoc-

- volksans SemiBold M, 12.15pt / ↕ 3mm Leading, 17.01pt / ↕ 6mm

Memphis rap, also known as Memphis hip hop and in some forms Memphis horrorcore, is a regional subgenre of hip hop music that originated in Memphis, Tennessee in the early 1990s. The genre is characterized by its often low budget, repetitive production and its occasional

synth melodies, as well as double time flows and samples ranging from soul and funk to horror film scores and classical music, as well as hooks from songs by related rappers in the same genre, although DIY production without sampling is common as well. Early artists and groups

• volksans Normal M, 48.59pt / ↓ 12mm

Leading, 45.35pt / ↓ 16mm

Grumpy wizards
make toxic brew
for the evil queen
My faxed joke
won a pager in the
cable TV quiz show

• volksans Normal M, 186.28pt / ↓ 46mm

0 1 2 3

• volksans Normal M, 186.28pt / ↓ 46mm

4 5 6 7

- volksans Normal M, 16.20pt / ↕ 4mm

- Leading, 19.84pt / ↕ 7mm

Stanley Kubrick was an American film director, screenwriter, and producer. He is frequently cited as one of the greatest and most influential directors in cinematic history. His films, which are mostly adaptations of novels or short stories, cover a wide range of genres, and are noted for their realism, dark humor, unique cinematography, extensive set designs, and evoc-

- volksans Normal M, 48.59pt / ↕ 12mm

List:

1. 210 mm
2. 282 mm
3. ↑ 12.0
4. 186 pt
5. \$ 79.3
6. CHF 70

- volksans Normal M, 12.15 / ↕ 3mm

Memphis rap, also known as Memphis hip hop and in some forms Memphis horrorcore, is a regional subgenre of hip hop music that originated in Memphis, Tennessee in the early 1990s. The genre is characterized by its often low budget, repetitive production and its occasional

89

MENU

SET UP VCP

SET UP FEATURE

SET CLOCK

SET UP CHANNEL

IDIOMA/LANGUE: ENGLISH


SELECT: ▲▼ KEY

SET : ► KET

EDN : ACTION KEY

END

• volksans Normal M, 419.53pt / ↕ 74mm (x-height)



```
languagesystem:          36 feature ss02;
01 DFLT dflt;           37 feature ss03;
02 latn dflt;           38 feature ss04;
03 latn AZE;            39 feature ss05;
04 latn CRT;            40 feature ss06;
05 latn KAZ;            41 feature ss07;
06 latn TAT;            42 feature ss08;
07 latn TRK;            43 feature ss09;
08 latn ROM;            44 feature ss10;
09 latn MOL;            45 feature ss11;
10 latn PLK;            46 feature ss12;
11 latn FRA;            47 feature ss13;
12 latn CAT;            48 feature ss14;
13 latn NLD;
14
15
16 feature aalt;        PostScript Name:
17 feature ccmp;        volksans_Normal_M
18 feature locl;
19 feature hist;
20 feature subs;        Unique Name:
21 feature sinf;        1.000;VOLK;volksans_Normal_M
22 feature sups;
23 feature calt;
24 feature numr;
25 feature dnom;        dnom:
26 feature frac;        sub zero by zero.dnom;
27 feature ordn;        sub one by one.dnom;
28 feature ornm;        sub two by two.dnom;
29 feature tnum;        sub three by three.dnom;
30 feature case;        sub four by four.dnom;
31 feature liga;        sub five by five.dnom;
32 feature zero;        sub six by six.dnom;
33 feature csp;         sub seven by seven.dnom;
34 feature salt;        sub eight by eight.dnom;
35 featire ss01        sub nine by nine.dnom;
```

Swede	Observer	Candied	Take up
Unsullied	Archaluk	Fuchsia	Gorge
Indonesian	Shipper	Quantity	Apja
Liability	Virgo	Sprayed	Bobina
Theodal	Chambers	Starfall	Mountain rescue
Snack	Junker	Starter	Prostration
Cornea	Kudykin	Chisel	Enthusiast
Allow	Charm	Unsupaing	Drum
Futurology	Unpaid	Radiologist	Murderer
Snoot	Information	Harness	Treatise
Barchuk	Bureau	Cave	Sidor
Shaped	Grenades	Polyglot	Mazanka
Freeze	Ernik	Winger	Immunologist
View	Breeder	Saalat	Civilize
Penultimate	Fuse	Indelible	To come up
Strike	Tesha	Native	occupier
Broadsword	Tuberculosis	Burime	Granary
Uncork	To fail	Pre-commit	Registry
Adopt	Moonshine	Zieby	Long-sleeved




● volksans Normal, 303.71pt / ↕ 75mm

RO1

D A S

A → Z

4 0 %



Technical

● Open Type Layout Features:

aalt	Access All Alternates
ccmp	Glyph Composition/Decomposition
locl	Localized Forms
hist	Historical Forms
subs	Subscript
sinf	Scientific Inferiors
sup	Superscript
onum	Oldstyle Figures
ornm	Ornaments
calt	Contextual Alternates
numr	Numerators
dnom	Denominators
frac	Fractions
ordn	Ordinals
pnum	Proportional Figures
ornm	Ornaments
case	Case-Sensitive Forms
tnum	Tabular Figures
dlig	Discretionary Ligatures
liga	Standard Ligatures
zero	Slashed Zero
cpsp	Capital Spacing
salt	Stylistic Alternates
ss01	Stylistic Set 1
ss02	Stylistic Set 2
ss03	Stylistic Set 3
ss04	Stylistic Set 4
ss05	Stylistic Set 5
ss06	Stylistic Set 6
ss07	Stylistic Set 7
ss08	Stylistic Set 8
ss09	Stylistic Set 9
ss10	Stylistic Set 10
ss11	Stylistic Set 11
ss12	Stylistic Set 12
ss13	Stylistic Set 13
ss14	Stylistic Set 14

Characters Sets:

Adobe
Adobe Latin-1
Adobe Latin-2
Apple Macintosh
MacOS Roman (Standard Latin)
MacOS Central European Latin
MacOS Celtic
MacOS Croatian
MacOS Iceland
MacOS Romanian
MacOS Turkish
ISO 8859
8859-1 Latin-1 Western European
8859-2 Latin-2 Central European
8859-3 Latin-3 South European
8859-4 Latin-4 North European
8859-9 Latin-5 Turkish
8859-10 Latin-6 Nordic
8859-13 Latin-7 Baltic Rim
8859-14 Latin-8 Celtic
8859-15 Latin-9
8859-16 Latin-10 South-Eastern European
Microsoft Windows
MS Windows 1250 Central European Latin
MS Windows 1252 Western (Standard Latin)
MS Windows 1254 Turkish Latin
MS Windows 1257 Baltic Latin

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the Unicode CLDR Project → unicode.org/cldr

Languages

● Language Support

Afrikaans	Hungarian	Malagasy	Sicilian
Albanian	Icelandic	Malay	Slovak
Asturian	Ido	Maltese	Slovenian
Asu	Igbo	Manx	Soga
Azerbaijani	Inar Sami	Maori	Somali
Basque	Indonesian	Mapuche	South Ndebele
Bemba	Interlingua	Meru	Southern Sotho
Bena	Irish	Mohawk	Spanish
Bosnian	Italian	Morisyen	Swahili
Breton	Javanese	North Ndebele	Swati
Catalan	Jju	Northern Sami	Swedish
Cebuano	Jola-Fonyi	Northern Sotho	Swiss German
Chiga	Kabuverdianu	Norwegian Bokmål	Taita
Colognian	Kalaallisut	Norwegian Nynorsk	Taroko
Cornish	Kalenjin	Nyanja	Tasawaq
Corsican	Kamba	Nyankole	Teso
Croatian	Kikuyu	Occitan	Tsonga
Czech	Kinyarwanda	Oromo	Tswana
Danish	Koyra Chiini	Polish	Turkish
Dutch	Koyraboro Senni	Portuguese	Turkmen
Embu	Kurdish	Quechua	Tyap
English	Lakota	Romanian	Upper Sorbian
Esperanto	Langi	Romansh	Vunjo
Estonian	Latvian	Rombo	Walloon
Faroese	Lithuanian	Rundi	Walser
Filipino	Lojban	Rwa	Welsh
Finnish	Low German	Samburu	Western Frisian
French	Lower Sorbian	Sango	Wolof
Friulian	Luo	Sangu	Xhosa
Galician	Luxembourgish	Sardinian	Yoruba
Ganda	Luyia	Scottish Gaelic	Zarma
German	Machame	Sena	Zulu
Guarani	Makhuwa-Meetto	Shambala	
Gusii	Makonde	Shona	/ 134

© Radmir Volk

2025

All rights reserved

No part of this publication may be reproduced, modified or transmitted in any form or by any means, electronic or mechanical, including photocopy, without the written permission from the author/editor.

For more information please feel free to write
hello@radmirvolk.design

Design & Engineering by Radmir Volk
Made in Bashqortostan
